


AUGUST 16, 1929

REPAIR PART PRICE LIST

IRON AGE Wheel Hoes and Drills

"GEM" SINGLE AND DOUBLE WHEEL HOES
 "NEW MODEL" SEED DRILL
 "ADVANCE" FERTILIZER DRILL



No. 395 Combined Double and Single Wheel Hoe, Hill and Drill Seeder

BATEMAN AND COMPANIES, INC.

347 MADISON AVENUE, NEW YORK CITY

Manufacturing Divisions

Bateman Mfg. Co., Grenloch, N. J.
 Belcher & Taylor Agri. Tool Co., Chicopee Falls, Mass.
 The Cutaway Harrow Co., Higganum, Conn.
 McWhorter Mfg. Co., Riverton N. J.
 Duane H. Nash, Inc., Millington, N. J.
 The Richardson Mfg. Co., Worcester, Mass.
 The Bateman-Wilkinson Co., Ltd., Toronto, Canada.

District Sales Headquarters

Bateman and Companies, Inc., New York City
 Bateman and Companies, Inc., Grenloch, N. J.
 Bateman and Companies, Inc., Chicopee Falls, Mass.
 Bateman and Companies, Inc., Worcester, Mass.
 Bateman and Companies, Inc., Toronto, Can.

Branch and Distributing Houses

Presque Isle, Me.
 Burnham, Me.
 Worcester, Mass.
 Chicopee Falls, Mass.
 Wallingford, Conn.
 Higganum, Conn.
 Canastota, N. Y.
 Elmira, N. Y.
 Millington, N. J.

Grenloch, N. J.
 Raleigh, N. C.
 Columbia, S. C.
 Savannah, Ga.
 Atlanta, Ga.
 Montgomery, Ala.
 Mobile, Ala.
 Orville, Ohio.
 Cincinnati, Ohio

Lansing, Mich.
 Minneapolis, Minn.
 Milwaukee, Wis.
 Davenport, Ia.
 Kansas City, Mo.
 Memphis, Tenn.
 New Orleans, La.
 Jacksonville, Fla.
 Houston, Texas

Denver, Colo.
 Salt Lake City, Utah
 Spokane, Wash.
 Portland, Oreg.
 San Francisco, Calif.
 Stockton, Calif.
 Los Angeles, Calif.
 Toronto, Canada

GENERAL FULL LINE EXHIBITION

Grand Central Palace :: 46th Street and Lexington Avenue :: New York



Prices subject to change without notice.

Destroy old lists.

INSTRUCTIONS FOR ORDERING PARTS

Write your name and complete address plainly, also state where you wish the repairs shipped and how, either by Parcel Post, Express or Freight. Unless orders instruct us to insure goods, Parcel Post shipments are made at the customer's risk.

When ordering by letter, **give number and name** of part, kind of machine, and year, if possible.

When ordering by wire, **give number only** (provided part has a number).

Get number by reference to cuts of parts.

Where bolts, cotters, etc., are mentioned in the description of part, price does not include same, unless the word "with" indicates that such is the case.

In case of doubt as to the correct name or description of part wanted, or if you do not find the part listed, it is advisable to send old parts, with transportation charges prepaid, to us to be duplicated. Be sure to tag each piece with your name and address and notify us by letter, explaining just what you want, how you are sending the part, either by Parcel Post, Express or Freight. Also state if you wish old part returned to you.

PARTS CLAIMED DEFECTIVE

Under no circumstances will claims for defects be allowed unless parts claimed defective are returned, transportation charges prepaid, to the factory for our inspection.

When shipping parts for inspection, see that each piece is tagged with shipper's name and address, and advise us fully by letter.

In cases of declined claims the inspected parts are subject to the shipper's orders for disposition, and Bateman and Companies, Inc., cannot be responsible for such parts for more than 30 days, at the expiration of which they will be scrapped without credit to the shipper. Shippers accept these conditions when shipping parts.

DIRECTIONS

Wheel Hoes and Drills mentioned in this list are Nos. 1-2-9-12-19 C-20-22-301-308-320-322-327, Gem, New Model and Advance. Attachments include Nos. 4-6-24-25-26, Figs. 333-334, and others.

Other complete tools are made up as follows:

No. 3 means No. 1 with Side Hoes only.

No. 4 Combined includes No. 1 Hoe and No. 4 Attachment.

No. 5 means No. 4 less working tools.

No. 6 Combined includes No. 1 Hoe and No. 6 Attachment.

No. 7 means No. 6 less working tools.

No. 10 means No. 9 with Side Hoes only.

No. 11 means No. 12 with Plow only.

No. 13 means No. 1 with Side Hoes and Teeth only.

No. 14 means No. 6 Combined less Rakes and Plows.

No. 15 Combined includes No. 20 with No. 6 Attachment.

No. 16 means No. 15 Combined less working tools.

No. 17 Combined includes No. 20 with No. 4 Attachment.

No. 18 means No. 17 Combined less working tools.

No. 19 means No. 19 C with Rakes, but without set of Cult. Teeth on Bracket.

No. 21 means No. 20 with Hoes only.

No. 23 means No. 22 or No. 322 without the Seeder Attachment.

No. 40 means No. 4 Combined less Rakes and Plows.

The Tools of most of the new Three Hundred Series are practically same as the old Tools, but with improvements and 300 prefixed to the old numbers, as,

No. 301 is now made in place of No. 1.

No. 301 R is now 301 with Rakes.

No. 303 means No. 301 with Side Hoes only.

No. 304 Combined includes No. 301 and Fig. 333 Drill Attachment.

No. 306 Combined includes No. 301 and Fig. 334 Hill and Drill Attachment.

No. 313 means No. 301 with Side Hoes and Teeth only.

No. 314 means No. 306 with Side Hoes and Teeth only.

No. 315 Combined includes No. 320 and Fig. 334 Hill and Drill Attachment.

No. 316 means No. 315 less working tools.

No. 317 Combined includes No. 320 and Fig. 333 Drill Attachment.

No. 318 means No. 317 less working tools.

No. 326 means No. 320 Frame with Fertilizer Drill Attachment only.

No. 3018 B means No. 318 with rigid Marker and high wide rear Wheel.

Repair Parts for *IRON AGE* Wheel Hoes, Seed and Fertilizer Drills

REPAIR PARTS

	NO.	PRICE.	WEIGHT.	
			LBS.	OZ.
Main Wheel. New Model.....	A 1	\$3.50	9	3
Seed Spout (M. Bolt $\frac{3}{16}$ x 2). New Model.....	A 2	1.05	2	8
Hopper. New Model.....	A 3	2.90	4	6
Hopper Lid, front. New Model.....	A 4	.35	0	7
Hopper Lid, rear. New Model.....	A 5	.40	0	14
Agitator Arm with Rocker Shaft (Rivet No. 8 x 1, Cotter $\frac{7}{64}$ x $\frac{3}{4}$). New Model....	A 6	.75	1	2
Agitator Finger with Cup Pt. Set Screw, $\frac{3}{16}$ x $\frac{5}{8}$. New Model.....	A 7	.35	0	3
Agitator Trip. New Model.....	A 8	.15	0	3
Marker Drag Holder. New Model.....	A 9	.20	0	4
Marker Drag, mall. New Model.....	A 10	.90	0	14
Marker Drag End, for 2140 Rod, 1917. New Model (no cut).....	A 10 A	.45	0	14
Rear Frame Tie. New Model.....	A 11	.20	0	6
Seed Coverer (C. Bolt $\frac{1}{4}$ x $\frac{7}{8}$, cotter $\frac{3}{16}$ x $2\frac{1}{4}$). New Model.....	A 12	.60	1	3
Frame for covering Wheel (order No. A 20) (no cut). New Model.....	A 13	.75	1	7
Roller Wheel, Nos. 4-6-8-22. New Model.....	A 14	1.00	2	8
Support for Seed Slide (M. Bolt $\frac{1}{4}$ x 1, short sq. hd.). New Model.....	A 15	.30	0	4
Seed Slide. New Model.....	A 16	.50	0	6
Scraper for Wheel. New Model.....	A 17	.30	0	7
Seed Cut-off (Cotter $\frac{9}{64}$ x $1\frac{1}{2}$). New Model.....	A 18	.35	0	6
Clamp for Marker Sticks (C. Bolt, $\frac{1}{4}$ x $2\frac{3}{4}$) (no cut). New Model.....	A 19	.30	0	4
Frame for Cover Wheel (takes place of A 13) (C. Bolt, $\frac{1}{4}$ x $6\frac{1}{2}$). New Model.....	A 20	.60	1	7
Opening Plow. Special, No. 4. New Model No. 2.....	A 21	.60	0	14
Opening Plow for Onion Sets. New Model.....	A 22	.80	1	1
Index. New Model.....	A 23	.30	0	3
Clip for Cultivator Tooth, mall., Nos. 2-301-320.....	C 0	.05	0	1
Clip for Cultivator Tooth, No. 2.....	C 0 A	.05	0	1
Frame for Double Wheel Hoe, complete, Nos. 1-301, etc.....	{ C C 1			
	{ C C 2	6.50	6	8
Axle Bracket, No. 9 (no cut).....	C 3	.45	0	7
Axle Washer, Nos. 1-4-6-9.....	C 6	.10	0	1
Cam Chain Tightener, Nos. 4-6 (no cut).....	C 06	.10	0	1
Vine Lifter, mall., Nos. 1-4-6-9.....	C 7	.50	0	10
Frame for Hopper, No. 4.....	C 8	1.20	1	5
Wrench, mall., Nos. 1-9-19 C-22-24-301-320, Gem.....	C 9	.25	0	6
Side Hoe Standard, R.H., Special (no cut), No. 1, Gem.....	C 12	.55	0	14
Side Hoe, complete, R.H., No. 1, Gem.....	C 12	1.70	1	2
Side Hoe Standard, R.H., Special, 1917, 300 series.....	C 12 A	.55	0	14
Seed Hopper Bottom, Nos. 4-6-22.....	C 13	1.50	2	0
Seed Hopper Bottom, Nos. 4-6-22. (C. Bolt, $\frac{1}{4}$ x $1\frac{3}{8}$).....	C 13 A	1.50	1	12
Frame for Hopper.....	C 14	1.20	2	2
Spout for Seed Drill, No. 4.....	C 15	.75	1	9
Frame for Hopper, Nos. 4-6.....	C 17	1.20	1	13
Drive Sprocket, 15 Pt., for Wire Chain, Nos. 4-6.....	C 18	.35	0	10
Side Hoe Standard, R.H. (no cut), Nos. 1-4-6, Gem.....	C 19	.55	0	12
Side Hoe, complete with Nut, R.H. (Rivets, 6 x $\frac{3}{8}$ and $\frac{7}{16}$), Nos. 1-4-6, Gem.....	C 19	1.70	1	2
Side Hoe Standard, R.H., for No. 27 B Blade, 1915 (no cut), Nos. 1-4-6-301, Gem....	C 19 A	.55	0	14
Side Hoe Standard, R.H., with Blade, complete, 1915, Nos. 1-4-6-301, Gem.....	C 19 A	1.70	1	2
Side Hoe Standard, L.H., Nos. 1-4-6-9, Gem (no cut).....	C 20	.55	0	14
Side Hoe Standard, complete with Nut, L.H., Nos. 1-4-6-9, Gem.....	C 20	1.70	1	3
Side Hoe Standard, L.H., for 27 B Blade, 1915, Nos. 1-4-6-9-301, Gem (no cut).....	C 20 A	.55	0	14
Side Hoe Standard, complete with 27 B Blade, L.H., 1915, Nos. 1-4-6-9-301, Gem...	C 20 A	1.70	1	3
Small Sprocket, 7 Pt., for Wire Chain, Nos. 4-6 (no cut).....	C 21	.35	0	3
Sprocket, with Shaft, Nos. 4-6.....	C 21	.50	0	5
Agitator, with Brushes, complete, Nos. 4-6 (old style).....	C 22	1.00	0	3
Seed Slide, Nos. 4-6 (old style).....	C 23	.35	0	7
Seed Slide, Nos. 4-6 (old style).....	C 24	.35	0	7
Seed Slide Trip, No. 6 (old style).....	C 25	.20	0	1
Plow Standard, L.H. (no cut), Nos. 1-4-6-301, Gem.....	C 26	.55	0	14
Plow, complete with Nut, L.H. (Rivets, No. 6 x $\frac{3}{16}$), Nos. 1-4-6-301, Gem.....	C 26	1.70	1	7
Center Frame Connection for Plow or Tooth Attach (C. Bolt, $\frac{3}{8}$ x 2), 301, etc.....	C 27 A	.60	1	1
Frame, complete, No. 9.....	C 28	3.75	3	9
Rake, 6 Tooth, with C Bolt $\frac{3}{8}$ x $1\frac{3}{4}$, Nos. 1-4-6-9-301.....	C 29	.95		
Plow Standard, R.H. (no cut), Nos. 1-4-6-301, Gem.....	C 30	.55	0	14

Repair Parts for *IRON AGE* Wheel Hoes, Seed and Fertilizer Drills

REPAIR PARTS

	NO.	PRICE.	WEIGHT.	
			LBS.	OZ.
Plow, complete with Nut, R.H., Nos. 1-4-6-301, Gem.....	C 30	\$1.70	1	7
Landside Standard for Plow (no cut), Nos. 9-20.....	C 31	.65	1	4
Landside Plow, complete (with nut) (Rivets, No. 6 x $\frac{5}{8}$ and $\frac{7}{8}$), Nos. 9-20.....	C 31	2.00	2	13
Landside Plow Standard, 1918, No. 320 (no cut).....	C 31 A	.95	2	0
Landside Plow Standard for 759 Plow, No. 320, 1918 (no cut).....	C 31 B	.95	2	0
Landside Plow Standard with 759 Plow, complete, No. 320.....	C 31 B	2.00	3	1
Landside Plow Standard, Nos. 11-12 (no cut).....	C 32	.85	2	0
Landside Plow, complete, Nos. 11-12.....	C 32	2.30	3	3
Landside Plow Standard, 759 Plow, Nos. 11-12 (no cut).....	C 32 A	.85		
Frame, complete, Nos. 11-12.....	C 33	2.75	3	0
Frame Bracket, R.H., Nos. 11-12 (no cut).....	C 34	.50	0	10
Frame Bracket, L.H., Nos. 11-12 (no cut).....	C 35	.50	0	10
Casting for Marker Stick (old style), Nos. 4-6.....	C 37	.20	0	3
Hopper Lid, front, Nos. 4-6-22.....	C 38	.35	0	8
Hopper Lid, rear, Nos. 4-6-22.....	C 39	.30	0	8
Frame for Hopper and Roller Wheels. (C. Bolt, $\frac{3}{8}$ x 2, Cotter, $\frac{7}{64}$ x $\frac{1}{2}$), Nos. 4-6..	C 40	2.50	2	14
Frame for Roller.....	C 42	.80	1	10
Head for Double Weeder, L.H., No. 1.....	C 46	.60	0	9
Head for Double Weeder, R.H., No. 1.....	C 47	.60	0	9
Head for Single Weeder (Stove Bolt, $\frac{1}{4}$ x $\frac{5}{8}$).....	C 48	.60	0	9
Seed Coverer. (Cotter, $\frac{3}{16}$ x $2\frac{1}{4}$), Nos. 4-6-22.....	C 49	.75	1	7
Index (English), Nos. 4-6-22.....	C 50	.35	0	4
Index (German), Nos. 4-6-22. Special when ordered (no cut).....	C 50 A	.35	0	4
Index (French), Nos. 4-6-22. Special when ordered (no cut).....	C 50 C	.35	0	4
Index (Spanish abbreviated), Nos. 4-6-22. Special when ordered (no cut).....	C 50 D	.35	0	4
Seed Slide, Nos. 4-6-22 (order No. 2040 A).....	C 51	.35	0	5
Frame for Hopper (old style), No. 6.....	C 52	1.20	2	3
Seed Spout (old style).....	C 53	1.00	1	5
Hill Cut-off, R.H., Nos. 6-22.....	C 54	.20	0	2
Hill Cut-off Lever, mall. (Cotter, $\frac{7}{64}$ x $\frac{1}{2}$), Nos. 6-22.....	C 55	.20	0	3
Seed Cut-off, Nos. 4-6-22.....	C 56	.20	0	4
Marker Stick Bracket, Nos. 4-6-8-22.....	C 58	.20	0	3
Opening Plow. (M. Bolt, $\frac{1}{4}$ x 1, with wing nut, C. Bolt, $\frac{1}{4}$ x $1\frac{1}{4}$) No. 6-22.....	C 59	.50	0	15
Opening Plow, Nos. 6-22-26-306-308-322.....	C 59 A	.60	1	0
Cup for Spacing Wheel, Nos. 6-8-22.....	C 60	.15	0	3
Spacing Wheel. (Cotter, $\frac{7}{64}$ x 1), Nos. 6-8-22.....	C 61	.50	0	6
Seed Coverer, R.H. (old style).....	C 62	.40	0	8
Seed Coverer, L.H., (old style).....	C 63	.40	0	8
Small Sprocket for Wire Link Chain, Nos. 6-22.....	C 64	.25	0	5
Rake, 6 Teeth, No. 12.....	C 65	1.00	1	0
Standard for Cultivator Tooth. (Plow Bolt, $\frac{5}{64}$ x $1\frac{1}{8}$), No. 12.....	C 66	.55	0	10
Cultivator Tooth, complete.....	C 66	2.00	1	
Standard for Scuffle Hoe, No. 12 (no cut).....	C 67	.60	0	10
Scuffle Hoe, complete, $7\frac{1}{2}$ " wide. (Rivets, No. 6 x $\frac{3}{8}$), No. 12.....	C 67	1.20	0	14
Scuffle Hoe, complete with 29 A (9"), No. 12 (no cut).....	C 67	1.40	1	0
Seed Guard Plate, Nos. 4-6-22 (old style) (no cut).....	C 68	.20	0	3
Seed Guard Plate, Nos. 4-6-22 (no cut).....	C 68 A	.20	0	3
Hill Cut-off Retainer, Nos. 6-22. (C. Bolt, $\frac{1}{4}$ x $\frac{3}{4}$).....	C 69	.15	0	2
Frame, complete, No. 20 (old style).....	C 70	3.75	3	12
Axle Bracket, No. 20 (no cut).....	C 71	.35	0	6
Center Frame Clip for Landside Plow or Cult. Tooth, Nos. 320-328.....	C 72 A	.40	0	12
Fertilizer Hopper Bottom (old style) (order C 93), No. 22.....	C 73	1.90	2	0
Fertilizer Scraper, Nos. 22-23.....	C 74	.45	0	13
Fertilizer Cone (old style), Nos. 22-23 (no cut).....	C 75	.80	0	15
Fertilizer Disc (old style), Nos. 22-23 (no cut).....	C 76	.95	0	15
Bevel Pinion for Main Shaft, Nos. 22-23.....	C 77	.50	0	5
Frame for Fertilizer Hopper, Nos. 22-23 (old style) (no cut).....	C 78	2.75	2	10
Fertilizer Spout Holder, galvanized, Nos. 22-23.....	C 79	.40	0	9
Opening Plow for Fertilizer, R.H., Nos. 22-23.....	C 82	1.00	1	0
Opening Plow for Fertilizer, L.H., Nos. 22-23.....	C 83	1.00	1	0
Cross Bar for Fertilizer Opening Plows. (C. Bolt, $\frac{1}{4}$ x $1\frac{1}{4}$), Nos. 22-23.....	C 84	.65	1	3
Holder for Fertilizer Opening Plow and Coverer, L.H., Nos. 22-23.....	C 85	.45	0	11
Holder for Fertilizer Opening Plow and Coverer, R.H., Nos. 22-23.....	C 86	.45	0	11

Repair Parts for *IRON AGE* Wheel Hoes, Seed and Fertilizer Drills

REPAIR PARTS		WEIGHT.	
	NO.	PRICE.	LBS. OZ.
Fertilizer Coverer with Strap, R. H., Nos. 22-23.....	C 87	\$0.40	0 11
Fertilizer Coverer with Strap, L.H., Nos. 22-23.....	C 88	.40	0 11
Sprocket and Clutch for Wire Link Chain, No. 22.....	C 89	.65	0 11
Rear Wheel Standard, R.H., Nos. 22-23.....	C 90	.90	0 14
Rear Wheel Standard, L.H., Nos. 22-23.....	C 91	.90	0 14
Frame for Seed Hopper, No. 22. (Cotter, $\frac{7}{64} \times \frac{1}{2} - \frac{3}{4}$).....	C 92	2.25	3 8
Fertilizer Hopper Bottom (takes place C 73). (Stove Bolt, $\frac{3}{16} \times \frac{1}{2}$), Nos. 22-23....	C 93	1.90	2 0
Slide Gate for Fertilizer (new style). (C. Bolt, $\frac{1}{4} \times \frac{3}{4}$), Nos. 22-23.....	C 94	.15	0 2
Fertilizer Feed Wheel, galvanized (takes place C 80). (Cotter, $\frac{7}{64} \times \frac{5}{8}$), Nos. 22-23.	C 95	.35	0 4
Standard for Double Moldboard Plow (no cut), Nos. 1-301.....	C 96	.60	0 14
Double Moldboard Plow, complete (with nut) (no cut), Nos. 1-301.....	C 96	2.00	2 0
Double Moldboard Plow, complete (with wings). (Stove Bolt, $\frac{1}{4} \times \frac{1}{2}$), Nos. 1-301..	C 96	3.00	2 8
Rear Wheel for Fertilizer Drill. (Cotter, $\frac{1}{8} \times \frac{3}{4}$), Nos. 22-23.....	C 97	1.00	1 7
Outside Bearing for Seed Hopper Shaft, No. 22. (C. Bolt, $\frac{1}{4} \times 1\frac{1}{8}$).....	C 98	.25	0 4
Seed Spout. (C. Bolt, $\frac{1}{4} \times 1\frac{1}{8}$), No. 4.....	C 100	.75	1 4
Seed Spout. (C. Bolt, $\frac{1}{4} \times \frac{3}{4}$ and $1\frac{1}{4}$), Nos. 6-22.....	C 101	.75	1 2
Standard for Onion Set Gatherer, R.H., Nos. 1-301.....	C 102	.75	0 11
Standard for Onion Set Gatherer, L.H., Nos. 1-301.....	C 103	.75	0 11
Axle Bracket, Nos. 1-301.....	C 105	.75	1 0
Fertilizer Disc and Cone, Nos. 22-23.....	C 106	1.25	1 0
Fertilizer Disc with Vertical Shaft, Nos. 22-23.....	C 106	2.80	1 9
Frame for Fertilizer Hopper, Nos. 22-23. (C. Bolt, $\frac{1}{4} \times \frac{3}{4} - 1$, M. Screw, $\frac{1}{4} \times \frac{5}{8}$)....	C 107	3.00	2 10
Ratchet Arm, R.H., Disc Attachment.....	C 110	.55	0 7
Ratchet Arm, L.H., Disc Attachment. (C. Bolt, $\frac{1}{4} \times 1$).....	C 111	.55	0 7
Ratchet Bracket, Disc Attachment.....	C 112	.35	0 5
Clamp Filler, Disc Attachment.....	C 113	.15	0 1
Hub, Disc Attachment (no cut).....	C 114	.15	0 2
Hub with Disc, Disc Attachment.....	C 114	1.00	0 6
Rake, 8 Teeth, with Set Screw, No. 19 to 1910.....	C 115	1.50	1 8
Bracket for Scuffle Hoe No. 760, Nos. 19-19 C (no cut).....	C 116	.35	0 6
Bracket for Scuffle Hoe No. 760, Nos. 19-19 C.....	C 116 A	.35	0 6
Bracket for Cult. Tooth Nos. 757, 758, Nos. 19-19 C (no cut).....	C 118	.35	0 6
Bracket for Cult. Tooth Nos. 757, 758, Nos. 19-19 C, 1917.....	C 118 A	.35	0 6
Bracket for Landside Plow, Nos. 19-19 C (no cut).....	C 119	1.00	1 12
Landside Plow, complete, Nos. 19-19 C.....	C 119	2.00	2 8
Opening Plow for Onion Sets, Special, Nos. 6-15-22.....	C 120	.90	1 5
Opening Plow for Onion Sets, Special, 1917, Nos. 6-15-22-306-308.....	C 120 A	.90	1 4
Drive Sprocket, 11-Tooth, for Steel Chain, Nos. 4-6.....	C 121	.50	0 11
Drive Sprocket, 8-Tooth, for Steel Chain, No. 6 A.....	C 121 A	.50	0 6
Sprocket, small, 10-Tooth, for Steel Chain (no cut)), Nos. 4-304.....	C 122	.40	0 3
Sprocket and Shaft, No. 4.....	C 122	1.00	0 4
Small Sprocket, R.H., 10-Tooth, for Steel Chain, Nos. 6-22.....	C 123	.50	0 3
Sprocket, large, for Steel Chain, No. 22, Nos. 4-8.....	C 124	.45	0 14
Frame for Hopper. (C. Bolt, $\frac{3}{8} \times 1\frac{1}{4}$, no nut, Plow Bolt, $\frac{1}{4} \times \frac{3}{4}$), No. 25.....	C 125	1.20	1 7
Bottom for Hopper, Nos. 25-26 (no cut).....	C 126	2.10	2 12
Hopper, complete, without cover, Nos. 25-26.....	C 126	4.10	5 0
Fertilizer Spreader Spout, Nos. 25-26.....	C 127	.50	1 0
Fertilizer Divider Clip, Nos. 25-26.....	C 128	.25	0 3
Fertilizer Straight Spreader Clip, Nos. 25-26.....	C 129	.20	0 3
Fertilizer Gate Slide, Nos. 25-26.....	C 130	.25	0 5
Ring for Fertilizer Gate Rod, Nos. 25-26.....	C 131	.20	0 3
Fertilizer Feed Wheel with Set Screw, Nos. 25-26.....	C 132	.65	0 9
Sprocket, 11-Tooth, Nos. 25-26.....	C 133	.40	0 12
Sprocket, 6-Tooth, Nos. 25-26 (no cut).....	C 134	.25	0 2
Sprocket and Shaft, Nos. 25-26.....	C 134	.50	0 6
Spout for Onion Plow, Special, No. 04 B.....	C 140	1.25	0 15
Opening Plow for Onions, Special, No. 04 B.....	C 141	.50	0 13
Opening Plow for Onions, Nos. 304 B-3018 B, 1916.....	C 141 A	.50	0 13
Standard for Special Side Hoe, R.H. (no cut).....	C 142	.60	1 0
Special Side Hoe, complete, R.H.....	C 142	1.40	1 8
Standard for Special Side Hoe, L.H. (no cut).....	C 143	.60	1 0
Special Side Hoe, complete, L.H.....	C 143	1.30	1 8
Standard for Hilling Attachment, R.H., No. 1 (no cut).....	C 150	.60	0 10

Repair Parts for *IRON AGE* Wheel Hoes, Seed and Fertilizer Drills

	NO.	PRICE.	WEIGHT.	
			LBS.	OZ.
Hilling Blade, complete (with nut), R.H.....	C 150	\$1.30	1	1
Standard, L.H., for Hilling Attachment (no cut).....	C 151	.60	0	10
Hilling Blade, complete (with nut), L.H.....	C 151	1.30	1	1
Frame for Hopper and Roller Wheel, No. 26.....	C 152	1.75	3	7
Spout for Fertilizer Drill, No. 26. (Plow Bolt, 1/4 x 1).....	C 153	1.00	1	3
Frame for Hopper and Marker Roller, No. 26.....	C 154	1.75	3	7
Marker Roller, No. 26, Special.....	C 155	1.40	5	0
Two Dot Nut for 3/8 Bolt, Nos. 22-04 B, Gem, Disc Attachment.....	C 156	.10	0	1
One Dot Nut for Axles, Nos. 1-4-6-20-12.....	C 157	.10	0	1
Three Dot Ratchet Washer, Nos. 301-320.....	C 158	.10	0	1
Index (old style).....	C 159	.40	0	4
Clutch for C 64 and C 123, Nos. 6-22-306-308-322 (no cut).....	C 160	.20	0	1
Opening Plow, Special, No. 6 (no cut).....	C 161	.75	0	8
Bracket for Three Cultivator Teeth, No. 19 C (no cut). Mall.....	C 162	1.20	1	4
Bracket for Three Cultivator Teeth, No. 19 C, 1917.....	C 162 A	1.05	1	13
Nut for Special Plow, C 161 (mall.) (no cut), No. 6. Mall.....	C 163	.15	0	1/2
Standard, Garden Disc Attachment, Nos. 327-328.....	C 164	.90	0	10
Concave Spool, Garden Disc Attachment, Nos. 327-328.....	C 165	.20	0	3
Convex Spool, Garden Disc Attachment, Nos. 327-328.....	C 166	.20	0	3
Standard, Garden Disc Attachment, Nos. 327-328.....	C 185	.90	0	11
Serrated Washer for C 185, Garden Disc Attachment, Nos. 327-328.....	C 186	.10	0	2
Frame for Hopper, No. 04 B, 1915.....	C 187	1.00	2	7
Lifting Arm for Marker Rod, No. 04 B, 1915.....	C 188	.30	0	5
Lifting Crank on Handles for Marker, Nos. 04 B-3004.....	C 189	.15	0	4
Marker Casting, Nos. 04 B-3018, 1915.....	C 190	.25	0	11
Seed Hopper Base (small), shown with 2116, Nos. 304-306-322-3018.....	C 191	2.00	4	8
Hub for Steel Roller Wheel, No. 2055, Nos. 24-304-306-308-322.....	C 192	.50	0	8
Seed Index Carrier, Nos. 304-306-322-3018.....	C 193	.80	0	10
Marker Bracket, Nos. 24-304-306-308-322.....	C 194	.50	0	11
Large Drive Sprocket, 11 Pt., Nos. 24-304-306-308-322-3018.....	C 195	.45	0	11
Axle Washer for Double Wheel, Nos. 301-327 on 54 A Axle, 1917.....	C 196	.10	0	2
Axle Washer for Double Wheel, No. 301, 1917, on 54 B Axle.....	C 196 A	.10	0	2
Serrated Washer for Vine Lifters, Nos. 301-327-328.....	C 197	.10	0	2
Serrated Washer for Vine Lifters, Nos. 301-320-3018.....	C 197 A	.10	0	2
Wheel, No. 2.....	C 198	1.50	5	0
Small Drive Sprocket, 10 Pt., Nos. 306-308-322.....	C 199	.35	0	3
Frame, Nos. 320-328, 1917 (no cut).....	C 200	3.70		
Marker Drag, complete, Nos. 24-304-306-308-322.....	C 201	.50	1	5
Agitator Brush Hub (6 Brushes), Nos. 304, 306, 308, 322.....	C 202	1.10	0	3
Rim for Top of Can, No. 2116, Nos. 304-306-322-3018 (see cut C 191).....	C 203	.30	0	10
Cover for Can, Nos. 304-306-322-3018.....	C 204	.40	0	12
Hopper, large, No. 308.....	C 205	2.25	3	15
Index Carrier, No. 308.....	C 206	.80	0	9
Rim for top of Can, No. 308.....	C 207	.35	0	12
Cover for Can, No. 308.....	C 208	.45	0	12
Lifting Arm for Marker Rod, No. 3018.....	C 210	.25	0	5
Clamp Filler (Disc Fender Attachment), 300 series, 1916.....	C 211	.25	0	2
Bracket for Hopper Shaft, No. 322.....	C 212	.35	0	4
Drive Sprocket, 8 Pt., Nos. 306 A-308 A.....	C 213	.50	0	8
Standard for Landside Plow, Special, No. 2 (no cut), 1918.....	C 214	1.25	2	4
Standard for Landside Plow, with No. 31 Blade, complete, 1918.....	C 214	2.85	3	0
Standard for Landside Plow (No. 759 Blade), Special, No. 2.....	C 214 A	1.25	2	4
Standard for Landside Plow, with No. 759 Blade, complete, No. 2.....	C 214 A	2.85	3	0
Bracket for Steel Rake, No. 2143, No. 12.....	C 215	.30	0	8
Block for Furrowing Plow, Special, No. 19 C (no cut).....	C 216	.80	1	2
Standard for Plow.....	C 218	.75	1	0
Plow, complete.....	C 218	1.50	1	8
Standard for Plow.....	C 219	.75	1	0
Plow, complete.....	C 219	1.50	1	8
Hopper Bottom, No. 24 Attachment.....	C 230	3.25	5	0
Bevel Gear, 29-Tooth, No. 24 Attachment.....	C 231	.50	0	11
Bevel Pinion, 11-Tooth, No. 24 Attachment.....	C 232	.25	0	4

Repair Parts for *IRON AGE* Wheel Hoes, Seed and Fertilizer Drills

REPAIR PARTS

	NO.	PRICE.	WEIGHT.	
			LBS.	OZ.
Sprocket, 8-Tooth, No. 24 Attachment.....	C 233	\$0.20	0	2
Sprocket, 6-Tooth, No. 24 Attachment.....	C 234	.25	0	3
Sprocket, 8-Tooth, No. 24 Attachment.....	C 235	.30	0	5
Sprocket, 10-Tooth, No. 24 Attachment.....	C 236	.40	0	7
Sprocket, 12-Tooth, No. 24 Attachment.....	C 237	.45	0	8
Brush Holder, No. 24 Attachment.....	C 238	1.10	0	7
Seed Plate, No. 24 Attachment.....	C 239	.80	1	7
Seed Plate, No. 24 Attachment.....	C 240	.80	1	8
Seed Plate, No. 24 Attachment.....	C 241	.80	1	8
Seed Plate, No. 24 Attachment.....	C 242	.80	1	7
Seed Plate, No. 24 Attachment.....	C 243	.80	1	6
Seed Plate, Special (small Lima Beans), No. 24 Attachment.....	C 244	.80	1	8
Seed Plate, Special (large Lima Beans), No. 24 Attachment.....	C 245	.80	1	6
Clutch, No. 24 Attachment.....	C 246	.45	0	3
Shifter Fork for Clutch, No. 24 Attachment.....	C 247	.30	0	5
Seed Clapper, No. 24 Attachment.....	C 248	.20	0	2
Pea Plate, No. 24 Attachment.....	C 249	.80	1	11
Pea Gate Holder, No. 24 Attachment.....	C 250	.55	0	9
Seed Plate, Special (Shoepeg Corn), No. 24 Attachment.....	C 251	.80	1	7
Seed Plow, No. 24 Attachment.....	C 252	.75	1	3
Seed Plate, Special, No. 24 Attachment (Double Distance of C 239).....	C 253	.80	1	8
Seed Plate, Special, No. 24 Attachment (Double Distance of C 240).....	C 254	.80	1	8
Seed Plate, Special, No. 24 Attachment (Double Distance of C 241).....	C 255	.80	1	7
Seed Plate, Special, No. 24 Attachment (Double Distance of C 242).....	C 256	.80	1	7
Seed Plate, Special, No. 24 Attachment (Double Distance of C 243).....	C 257	.80	1	7
Scraper for Fertilizer Disc. Advance Fertilizer Drill.....	D 0	.20	0	2
Cap for Disc and Agitator Support. Advance.....	D 1	.25	0	6
Pivot for Cut-off Lever. Advance.....	D 2	.15	0	3
Spout, right half. Advance.....	D 406	.50	1	2
Spout, left half. Advance.....	D 406	.50	1	2
Spout, complete. Advance.....	D 406	1.25	2	13
Bearing for Main Axle and Gear Shaft, L.H. Advance.....	D 407	.60	0	12
Bearing for Main Axle and Gear Shaft, R.H. (C. Bolts, $\frac{1}{4}$ x $2\frac{1}{4}$ - $\frac{1}{2}$). Advance.....	D 408	.60	0	10
Gear Shifter Lever. Advance.....	D 413	.50	0	5
Trigger. Advance.....	D 414	.25	0	5
Small Bevel Pinion. Advance.....	D 416	.25	0	3
Main Bevel Gear with Cup Pt. Set Screw, $\frac{3}{8}$ x $\frac{5}{8}$. Advance.....	D 456	.75	1	5
Large Bevel Pinion. Advance.....	D 457	.50	0	5
Fertilizer Disc Support (crab). (C. Bolt, $\frac{3}{8}$ x 3). Advance.....	D 463	.75	1	6
Support, complete. Advance.....	D 463	1.50	2	0
Disc Bevel Gear. Advance.....	D 464	.65	1	2
Main Wheel with Axle, Gem, single.....	G	1.40	4	14
Frame. (C. Bolt, $\frac{1}{4}$ x $1\frac{1}{4}$, M. Bolt, $\frac{1}{4}$ x 2). Gem.....	H	2.10	5	1
Agitator with Brush, Nos. 04 B-8-22.....	H 0	1.10	0	4
Seed Index, No. 8.....	H 1	.25	0	3
Agitator with Brushes, complete (old style). Same as C 22, Nos. 4-6.....	H 4	1.00	0	3
Seed Cut-off Lever, mall., No. 8.....	H 5	.15	0	2
Index Slide, mall., No. 8.....	H 6	.15	0	3
Hopper Lid, front, No. 8.....	H 12	.35	0	7
Hopper Lid, rear, No. 8.....	H 14	.40	1	5
Wheel Scraper, No. 8.....	H 18	.20	0	5
Chain Guard, No. 8.....	H 19	.20	0	4
Seed Coverer, No. 8.....	H 20	.50	0	13
Opening Plow, No. 8.....	H 22	.80	0	12
Marker Drag, complete, Nos. 4-6-8-15-22-26.....	H 23	.50	1	4
Cut-off Lock, Nos. 4-6-8.....	H 24	.25	0	4
Finger Latch, Nos. 4-6-8.....	H 25	.20	0	4
Hill Cut-off, No. 8.....	H 26	.20	0	3
Hill Cut-off Lever, No. 8.....	H 27	.20	0	3
Seed Spout, No. 8.....	H 29	.75	0	12
Seed Guard Plate, No. 8.....	H 31	.20	0	5
Clutch Sprocket Wheel, 14-Tooth, No. 8.....	H 32	.35	0	6
Small Sprocket, No. 8 (no cut).....	H 33	.20	0	2
Sprocket with Shaft and Nut, No. 8.....	H 33	.45	0	5

Repair Parts for *IRON AGE* Wheel Hoes, Seed and Fertilizer Drills

	NO.	PRICE.	WEIGHT.	
			LBS.	OZ.
REPAIR PARTS				
Frame for Covering Wheel, No. 8.....	H 35	\$0.65	1	6
Seed Hopper Bottom, No. 8.....	H 35	3.30	4	6
Wrench, No. 8.....	H 36	.25	0	3
Standard for 4" Scuffle Hoe.....	I	.45	1	
Scuffle Hoe, 4", complete.....	I	1.05	1	4
Standard for 8½" Scuffle Hoe, mall. (no cut), Gem.....	J	.55	0	8
8½" Scuffle Hoe, complete. (C. Bolt, ¾ x 1¼), Gem.....	J	1.35	0	15
Wheel Frame Strap. (C. Bolt, ¼ x 2¾), Gem.....	K	.40	0	9
Main Wheel, Double Gem.....	M	1.35	4	0
Main Wheel and Axle.....	M	2.00	4	6
Wheel Frame Strap, Gem.....	N	.25	0	11
Collar with Set Screw for Axle, Gem.....	O	.45	0	5
Gate Stop, No. 24 Attachment.....	P 153	.55	0	2
Pea Gate, No. 24 Attachment.....	P 166	.55	0	2
Landside Standard for Plow (no cuts), Gem.....	X	1.10	2	1
Landside Plow, complete, Gem.....	X	1.85	3	0
Wrench, malleable, No. 19.....	4	.20	0	3
Adjusting Gate Latch. Advance.....	6	.70	0	7
Adjusting Catch for Gate Latch. Advance. (C. Bolt, ¼ x 1¾).....	7	.25	0	4
Spreader. (Stove Bolt, ¼ x ½). Advance.....	8	.50	0	3
Axle for Main Wheel. (Cotter, 7/64 x 1.) Advance.....	9	.75	1	2
Stud for Adjusting Gate. Advance (no cut).....	13	.25	0	2
Disc, galvanized. Advance.....	17	1.00	0	15
Agitator. Advance.....	22 A	.60	0	4
Handle Rod, short. Advance.....	23 A	.25	0	7
Handle Rod, long. Advance.....	24	.20	0	8
Plow Blade, R.H., for C 30 (no cut), Nos. 1-301, Gem.....	26	.55	0	9
Plow Blade, L.H., for C 26 (Rivets, 6 x 9/16), Nos. 1-301, Gem (no cut).....	26	.55	0	9
Side Hoe Blade, R.H., for C 19, Nos. 1-20, Gem (no cut).....	27	.60	0	4
Side Hoe Blade, L.H., for C 20 (Rivets, No. 6 x ¾ x 7/16), Nos. 1-20, Gem (no cut).....	27	.60	0	4
Side Hoe Blade, R.H., Special, 7½" (no cut), Nos. 1-301-320, Gem.....	27 A	1.00	0	11
Side Hoe Blade, L.H., Special, 4" (no cut), Nos. 1-301-320, Gem.....	27 A	1.00	0	11
Side Hoe Blade, R.H., curved, for C 19 A (no cut), Nos. 1-301-320, Gem.....	27 B	.75	0	8
Side Hoe Blade, L.H., curved, for C 20 A (no cut), Nos. 1-301-320, Gem.....	27 B	.75	0	8
Cultivator Tooth, No. 12.....	28	.60	0	7
Scuffle Hoe Blade, Steel, 7½" wide (no cut), on C 67, No. 12.....	29	.55	0	6
Scuffle Hoe Blade, Steel, 9" wide, No. 12.....	29 A	.60	0	7
Cultivator Tooth, Nos. 1-2-9-20-301, Gem. (Hook Bolts, ¾ x 5/8).....	30	.35	0	5
Cultivator Tooth, narrow shank, Nos. 1-9-20, Gem (Special).....	30 A	.45	0	5
Landside Plow, Steel for C 31 and C 32 Plows, Nos. 2-12-320 (no cut).....	31	.75	0	12
Pin for Clutch, No. 11 x 13/16 (no head) (no cut), Nos. 6-306-308.....	33	.05		
Pin for C 21, C 122, No. 8 x 13/16 (no head) (no cut), Nos. 04 B-304.....	33 A	.05		
Pin for Brush Hub, Brass, No. 11 x 11/16 (no head) (no cut), Nos. 8-04 B.....	34	.05	0	¼
Opening Plow, Nos. 4-304. New Model. (M. Bolt, ¼ x 1 with wing nut).....	35	.40	0	5
Pins for Marker Stick, No. 8 x 19/32 (no head) (no cut), Nos. 4-6-8.....	37	.10	0	1/8
Axle for Covering Wheel, ¾ x 25/8. (Cotter, 1/8 x ¾), Nos. 4-6-8. New Model.....	38	.15	0	2
Gear and Brush Hub Shaft, with Clutch. (Cotter, 1/8 x 5/8), Nos. 6-22.....	39	.50	0	5
Gear and Brush Hub Shaft, No. 4 (no cut).....	40	.20	0	3
Spring for Hill Cut-off, No. C 54, coil, Nos. 6-22.....	41	.10	0	1
Spring for Clutch, coil, Nos. 6-22-306-308-322.....	42	.10	0	1
Frame Pipe, No. 9 (no cut).....	44	.60		
Double Moldboard Plow, bare (no cut).....	46	3.00	1	0
Wing for Double Moldboard Plow C 96, R.H., Special (no cut).....	47	.75	0	4
Wing for Double Moldboard Plow C 96, L.H., Special (no cut).....	47	.75	0	4
Frame Pipe, Nos. 2-20 (no cut).....	48	.35		
Axle, long, No. 20.....	49	.40	0	7
Axle, extra hole to adjust wheel to row, No. 20.....	49 A	.40	0	8
Staple with nuts, for Disc Attachment.....	50	.20	0	2
Frame Pipe, Nos. 1-301 (no cut).....	51	.55	1	4
Disc, 5", for Disc Attachment (no cut). See C 114.....	52	.80	0	5
Disc, 5½" x 18 G, for Disc Attachment. See also 52 and 2007 (no cut).....	52 A	.80	0	5
Axle, long, for No. 1 single wheel, 7/16 x 9¼ (with nuts, washers and cotters).....	53	.55	0	8
Axle, short, 7/16 x 47/16 (with nut, washer and cotter), Nos. 1-9-20.....	54	.50	0	4

Repair Parts for *IRON AGE* Wheel Hoes, Seed and Fertilizer Drills

REPAIR PARTS

	NO.	PRICE.	WEIGHT.	
			LBS.	OZ.
Axle, short, complete for Double Wheel, Nos. 301-327, 1917.....	54 A	\$0.50	0	4
Axle, short, complete for Double Wheel, Nos. 301-327, 1918.....	54 B	.50	0	4
Brace Rod for Frame on Double Wheel Hoes, No. 1 (no cut).....	55	.15	0	3
Brace for Axle Arm, Nos. 301-327.....	55 A	.15	0	2
Axle for Disc Attachment.....	56	.25	0	1
Frame Pipe, No. 12 (no cut).....	57	.90		
Eye Bolt, No. 12.....	58	.45	0	4
Axle, short, No. 12.....	59	.25	0	4
Blade for Onion Set Gatherer (no cut).....	60	1.50	0	7
Connecting Strap for Rear Wheel, No. 22.....	61	.55	0	14
Connecting Strap for Rear Wheel, No. 322.....	61 A	.55	0	14
Main Wheel Axle. (Cotter, $\frac{3}{16}$ x $\frac{3}{4}$), No. 22.....	62	.95	0	14
Gear and Brush Hub Shaft, with Clutch.....	63	.45	0	6
Fertilizer Vertical Shaft (Stirrer) with Pins (old style) (no cut), No. 22.....	65	1.05	0	8
Fertilizer Vertical Shaft, with Pins (no cut). See C 106, No. 22.....	65 A	1.05	0	8
Stud for C 95 Feed Wheel (no cut), No. 22.....	66	.10	0	1
Stud for C 55, C 92, Nos. 6-22 (no cut).....	70	.10	0	1
Handle Brace. (C. Bolt, $\frac{1}{4}$ x $1\frac{1}{4}$), No. 22.....	72	.20	0	6
Handle Brace, No. 322.....	72 A	.20	0	5
Connection for Fertilizer Cover (C 87), No. 22.....	73	.20	0	3
Curved Plate for Fertilizer Feed Wheel C 95, No. 22.....	74	.20	0	2
Flexible Fertilizer Tube, brass wire, No. 22.....	75	1.25	0	6
Steel Chain, 44 Links, No. 22. See No. 2090 (no cut).....	76	.75	0	3
Stud for C 107 Frame, $\frac{1}{2}$ x $1\frac{1}{32}$, No. 22.....	77	.10	0	2
Pins for Fertilizer Vertical Shaft, No. 11 x 2", No. 22 (no cut).....	78	.05		
Pins for Fertilizer Vertical Shaft, No. 11 x 3", No. 22 (no cut).....	78	.10		
Pins for Fertilizer Vertical Shaft, No. 11 x $2\frac{3}{4}$ ", No. 22 (no cut).....	78 A	.10		
Shaft for Feed Wheel, Nos. 25-26 (no cut).....	80	.15	0	2
Rod for Fertilizer Gate Slide, Nos. 25-26 (no cut).....	81	.10	0	1
Spring for Fertilizer Gate Slide, coil, Nos. 25-26.....	85	.10	0	1
Handle Brace, Gem.....	96	.20	0	7
Pipe Axle, Gem (no cut).....		.55	0	5
Solid Axle for Wheel, Gem (no cut).....	98	.30	0	6
Blade, 4", for Scuffle Hoe, Gem (no cut).....	99	.60	0	4
Blade, $8\frac{1}{2}$ ", for Scuffle Hoe, Gem (no cut).....	100	.70	0	7
Rod for Handles, Gem.....	102	.25	0	7
Handle Brace. New Model.....	106	.20	0	5
Rocker Shaft. New Model.....	107	.30	0	6
Spring for Seed Slide, A 16, coil.....	109	.10	0	1
Spring for Seed Cut-off, A 18, coil, Nos. 4-6-22. New Model.....	110	.10	0	1
Spring for Seed Cut-off (heavy), Nos. 24-306-308. New Model.....	110 A	.10	0	1
Pin for Lid, No. 11 x $4\frac{5}{8}$. New Model (no cut).....	111	.05	0	2
Handle Brace, No. 8.....	113	.20	0	6
Side Frame Bars, No. 8.....	114	.60	1	6
Shaft for Sprocket and Brush Hub, No. 8.....	115	.20	0	3
Seed Slide, brass, No. 8.....	116	.25	0	1
Spring for Seed Slide, coil, brass, No. 8.....	117	.15	0	1
Spring for Seed Cut-off Lever, H 5, coil, No. 8.....	118	.15	0	1
Spring for Clutch, coil, No. 8.....	119	.10	0	1
Spring for Seed Coverer, H 20, coil.....	120	.20	0	1
Handle Brace, R.H., No. 19.....	180 A	.40	0	13
Handle Brace, L.H., No. 19.....	180 A	.40	0	13
Standard for Working Tools, No. 19.....	750	.90	2	8
Wheel Frame, R.H., No. 19.....	751	.40	1	3
Wheel Frame, L.H., No. 19. (C. Bolts, $\frac{5}{16}$ x $1\frac{1}{4}$ - $1\frac{1}{2}$) (no cut).....	751	.40	1	3
Pipe Axle, No. 19.....	752	.20	0	3
Solid Axle, No. 19.....	753	.20	0	3
Cultivator Tooth, with Bracket and Cup Pt. Set Screw, $\frac{3}{8}$ x $\frac{5}{8}$, Nos. 19-19 C.....	757	1.15	1	2
Cultivator Tooth, bare, Nos. 19-19 C.....	757	.70	0	13
Cultivator Tooth, with Bracket and Cup Pt. Set Screw, $\frac{3}{8}$ x $\frac{5}{8}$, Nos. 19-19 C.....	758	.90	0	14
Cultivator Tooth, bare, Nos. 19-19 C.....	758	.40	0	9
Plow with Bracket and Cup Pt. Set Screw, $\frac{3}{8}$ x $\frac{5}{8}$, Nos. 2-19-12-320 (old style).....	759	1.80	1	8
Plow Blade, Nos. 2-19-12-320 (no cut).....	759	.80	0	13
Scuffle Hoe, with Bracket and Cup Pt. Set Screw, $\frac{3}{8}$ x $\frac{5}{8}$, No. 19.....	760	1.20	1	0

Repair Parts for *IRON AGE* Wheel Hoes, Seed and Fertilizer Drills

REPAIR PARTS		NO.	PRICE.	WEIGHT.	
				LBS.	OZ.
Scuffle Hoe Blade, No. 19 (no cut).....		760	\$0.70	0	10
Blade for Hilling Attachment, R.H., on C 150, Special, No. 1.....		845	.70	0	7
Blade for Hilling Attachment, L.H., on C 151, Special No. 1.....		845	.70	0	7
Lid for Seed Hopper, No. 11 x 3½, Nos. 4-6-22 (no cut).....		2000	.10	0	2
Side Hoe, 4", Special (no cut).....		2001	.40	0	4
Side Hoe, 9", Special (no cut).....		2002	.50	0	5
Scuffle Hoe, 6", Special (no cut).....		2003	.45	0	5
Side Cultivator Tooth, small, No. 19, from 1910 (no cut).....		2004	.35	0	7
Pin for Pinion, C 77 (no head), No. 6 x 1, No. 22 (no cut).....		2005	.10		
Steel for Landside Plow, Gem (no cut).....		2006	.95	0	15
Disc for Garden Disc Attachment, 5½ x 15 G x ⅝ sq. hole, No. 27-327, See also 52 A.....		2007	.75	0	8
Handle, Structural Metal Tubing, Special, No. 22, 1911 (no cut).....		2031	1.55	3	12
Handle, R.H., Structural Metal Tubing, Special, 1911, Nos. 1-9-12-20.....		2032	1.55	3	12
Handle, L.H., Structural Metal Tubing, Special, 1911, Nos. 1-9-12-20.....		2032	1.55	3	12
Round for Metal Tubing Handles, Special.....		2033	.25		12
Side Frame, No. 2.....		2034	.50	1	1
Side Frame, complete, 2034-2035, 4 x ¼ x 1⅛ Rivets.....		2034	2.70		
Frame Brace, No. 2.....		2035	1.00	0	14
Handle Brace, No. 2.....		2036	.35	0	5
Pipe Spacer for Wheel, No. 2.....		2037	.15	0	1
Pipe Spacer for Handle Brace, No. 2.....		2038	.05	0	½
Filler for Seed Hopper, brass, Nos. 4-6-22.....		2039	.25	0	1
Seed Slide, Nos. 4-6-22 (order No. 2040 A), 1913 (no cut).....		2040	.25	0	5
Seed Slide, Nos. 4-6-22 (in place 2040), 1915.....		2040 A	.25	0	2
Tin Cover for 2083 or C 13 A Hopper, Nos. 4-6-22 (no cut).....		2042	.25	0	1
Covering Wheel Support, No. 04 B, 1915.....		2045	.90	0	14
Axle for Steel Covering Wheel, Nos. 04 B-3018, 1915.....		2046	.25	0	3
Scraper for Wheel, Nos. 04 B-3018, 1915.....		2047	.50	0	3
Marker Rod, R.H., Nos. 04 B-3018, 1915.....		2048-R.H.	1.45	1	4
Marker Rod, L.H., Nos. 04 B-3018, 1915.....		2048-L.H.	1.45	1	4
Handle Brace, 04 B.....		2051	.30	0	6
Handle Brace, 3018.....		2051 A	.30	0	5
Steel Roller Wheel (half), Nos. 24-306-308-322.....		2055	.60	1	4
Steel Roller Wheel, complete.....			2.35	2	8
Axle Arm, No. 301, 1917.....		2056	.85	0	12
Axle Arm, No. 320, 1917.....		2057	.85	0	10
Spring for Coverer, Nos. 306-308-322.....		2058	.10	0	½
Spring for Hill Cut-off, Nos. 306-308-322.....		2059	.10	0	½
Handle, R.H., Nos. 1-2-9-20.....		2060	.65	1	8
Handle, L.H., Nos. 1-2-9-20. (C. Bolt, ¼ x 1½).....		2061	.65	1	8
Round for Handles, Nos. 1-9-12-20-22-301. New Model.....		2062	.20	0	6
Round for Handles, Nos. 19-19 C.....		2063	.20	0	8
Handle, R.H., No. 12. (C. Bolt, ¼ x 1¾).....		2064	.65	1	8
Handle, L.H., No. 12.....		2065	.65	1	8
Handle, R.H., No. 19-19 C.....		2066	.65	2	8
Handle, L.H., Nos. 19-19 C.....		2067	.65	2	8
Marker Stick, 17" (old style).....		2068	.35	0	3
Marker Stick, complete (old style).....		2069	.80	0	6
Marker Stick, 22". (Cotter, ⅞ x ¾), Nos. 4-6-8-22.....		2070	.35	0	3
Marker Stick, complete with Pins and Casting. (Cotter, ⅞ x ¾).....		2071	.80	0	5
Handle, R.H., No. 22.....		7072	.65	1	8
Handle, L.H., No. 22. (C. Bolt, ¼ x 1¾).....		2073	.65	1	8
Handle, R.H., No. 8.....		2074	.65	1	8
Handle, L.H., No. 8.....		2075	.65	1	8
Handle, R.H., New Model. (C. Bolt, ¼ x 1½).....		2076	.65	2	0
Handle, L.H. New Model.....		2077	.65	2	0
Marker Stick. New Model.....		2078	.40	0	5
Frame Side. New Model. (C. Bolt, ¼ x 2).....		2079	.55	0	14
Wheel, Steel, 16", 1¼" Tire, Nos. 1-9-12-301.....		2080	1.70	2	12
Wheel, Steel, 16", 1¾" Tire, Nos. 20-308.....		2081	1.90	3	0
Wheel, Steel, 24", 1½" Tire, Nos. 19-19 C.....		2082	2.25	4	8
Seed Hopper, Nos. 4-6-22.....		2083	.50	0	9
Fertilizer Hopper, Nos. 22-25-26.....		2084	1.20	2	4
Lid for Fertilizer Hopper, Nos. 22-25-26.....		2085	1.00	0	10
Thumb Screw (round shoulder) for C 50, H 1, Nos. 4-6-8-22.....		2087	.15	0	1

Repair Parts for *IRON AGE* Wheel Hoes, Seed and Fertilizer Drills

	NO.	PRICE.	WEIGHT.	
			LBS.	OZ.
Wire Link Chain, complete, Nos. 4-6.....	2088	\$0.40	0	4
Chain, complete, 56 links, No. 15, steel, Nos. 4-6 (no cut).....	2089	.70	0	4
Chain, complete, 59 links, No. 15, steel, Nos. 25-26.....	2090	.75	0	4
Drill Cord and Ring, Nos. 4-6-22-304-306-308-322.....	2091	.20	0	1
Wing Nut, $\frac{3}{8}$ ", Nos. 6-8-22-306-308-322.....	2092	.10	0	1
Bolt for C 140 Spout.....	2093	.10	0	1
Spring Tooth, short, Weeder Attachment.....	2094	.20	0	2
Spring Tooth, long, Weeder Attachment.....	2095	.20	0	2
Thumb Screw (square shoulder), Nos. 8-22.....	2096	.10	0	1
Hopper, No. 8.....	2097	1.75	1	2
Cord for Cut-off, No. 8.....	2098	.10	0	1
Stud for H 27, No. 8.....	2099	.10	0	1
Seed Spout, Nos. 306-308-322.....	2100	.40	0	8
Seed Slide, Nos. 304-306-308-322-3018.....	2101	.60	0	3
Hill Cut-off, Nos. 306-308-322.....	2102	.40	0	2
Hill Cut-off Lever, Nos. 306-308-322.....	2103	.15	0	2
Screw for Cut-off Lever, Nos. 306-308-322.....	2104	.20	0	$\frac{1}{2}$
Index Adjusting Screw with Head, Nos. 304-306-308-322.....	2105	.20	0	1
Nut for 2105, Nos. 304-306-308-322.....	2106	.20	0	$\frac{1}{2}$
Hopper Support, R.H., Nos. 304-306.....	2107-R.H.	.75	1	4
Hopper Support, L.H., Nos. 304-306.....	2107-L.H.	.75	1	4
Hopper Support, R.H., No. 322.....	2107 A-R.H.	.75	1	4
Hopper Support, L.H., No. 322.....	2107 A-L.H.	.75	1	4
Scraper for Rear Wheel, Nos. 24-304-306-308-322.....	2108	.20	0	5
Axle for Rear Wheel, Nos. 24-304-306-308-322.....	2109	.25	0	3
Serrated Washer for Coverers, Nos. 24-304-306-322.....	2110	.10	0	1
Seed Coverer, R.H., Nos. 24-304-306-308-322-3018.....	2111-R.H.	.50	0	10
Seed Coverer, L.H., Nos. 24-304-306-308-322-3018.....	2111-L.H.	.50	0	10
Marker Bar, Nos. 24-304-306-308-322.....	2112	.65	0	13
Shaft for Hopper, Nos. 24-306-308.....	2113	.75	0	5
Pin for Hopper C 191 for Seed Index, Nos. 304-306-308-322.....	2114	.10	0	$\frac{1}{2}$
Pin for Seed Index Carrier C 193 for Slide, Nos. 304-306-308-322.....	2115	.05	0	$\frac{1}{2}$
Seed Can for Base C 191, Nos. 304-306-322.....	2116	.50	0	8
Pointer for Index (brass), Nos. 304-306-308.....	2117	.15	0	$\frac{1}{2}$
Index Plate, English, Nos. 304-306-308-322-3018.....	2120	.25	0	$\frac{1}{2}$
Index Plate, Spanish, Nos. 304-306-308-3018 (no cut).....	2121	.25	0	$\frac{1}{2}$
Index Plate, French, Nos. 304-306-308-3018 (no cut).....	2122	.25	0	$\frac{1}{2}$
Index Plate, German, Nos. 304-306-308-3018 (no cut).....	2123	.25	0	$\frac{1}{2}$
Main Axle, Nos. 301-304-306-320.....	2124	.60	0	8
Main Axle (extra hole to shift wheel), Nos. 320-3004.....	2124 A	.60	0	8
Special Washer for Axle, Nos. 24-301 to 328 and Attachment.....	2125	.05	0	$\frac{1}{2}$
Vine Lifter, R.H., Nos. 301-327.....	2126-R.H.	.40	0	9
Vine Lifter, L.H., Nos. 301-320-327.....	2126-L.H.	.40	0	9
Hopper Support, R.H., No. 3018.....	2127-R.H.	.50	1	12
Hopper Support, L.H., No. 3018.....	2127-L.H.	.50	1	12
Steel Frame, R.H., No. 308.....	2128-R.H.	.75	1	15
Steel Frame, L.H., No. 308 (no cut).....	2128-L.H.	.75	1	15
Main Axle, No. 308.....	2129	.40	0	5
Handle Bracket, R.H., No. 308.....	2130-R.H.	.40	0	7
Handle Bracket, L.H., No. 308.....	2130-L.H.	.40	0	7
Can for Hopper C 205.....	2131	.60	0	10
Seed Spout, Nos. 304, Attachment 3018.....	2132	.45	0	8
Seed Spout, Nos. 304, Attachment 3018 B (same as 2131 with corners clipped).....	2133	.70	0	7
Shaft with Sprocket, for Hopper, No. 304, Attachment 3018.....	2134	.30	0	5
Bolt for Plow, Special ($\frac{1}{4}$ x $\frac{1}{4}$), No. 304, Attachment 3018 (no cut).....	2135	.05	0	$\frac{1}{2}$
Ratchet Bracket, R. H., Disc Fender.....	2136-R.H.	.50	0	6
Ratchet, Bracket, L.H., Disc Fender.....	2136-L.H.	.50	0	6
Seed Fender, Nos. 304-306-308-322-3018.....	2137	.25	0	1
Hopper Shaft, No. 322.....	2138	.40	0	6
Rod for Marker Drag (Steel). New Model (no cut).....	2140	.55		
Bracket for Cultivator Teeth (Steel), No. 19-19 C.....	2141	.25	0	6
Bracket for Scuffle Hoe, Nos. 19-19 C.....	2142	.25	0	6
Steel Rake, complete, Nos. 12, 301 R-320 R.....	2143	1.10	0	14
Outside Teeth of Steel Rake, Nos. 12-301 R-320 R.....	2143	.25	0	5

Repair Parts for **IRON AGE** Wheel Hoes, Seed and Fertilizer Drills


REPAIR PARTS

	NO.	PRICE.	WEIGHT.	
			LBS.	OZ.
Second Teeth of Steel Rake, Nos. 12-301 R-320 R. See 2143.....	2144	\$0.20	0	5
Centre Teeth of Steel Rake, Nos. 12-301 R-320 R. See 2143.....	2145	.20	0	4
Outside Frame Piece, R.H. (Steel), No. 320.....	2146-R.H.	1.10	1	4
Outside Frame Piece, L.H. (Steel), No. 320.....	2146-L.H.	1.10	1	4
Front Knee Piece, No. 320.....	2147	.75	1	0
Rear Knee Piece, No. 320.....	2148	1.00	1	2
Outside Frame Piece, R.H., No. 301.....	2149-R.H.	1.50	0	15
Outside Frame Piece, L.H., No. 301.....	2149-L.H.	1.50	0	15
Inside Frame Piece, R.H., No. 301.....	2150-R.H.	1.00	0	10
Inside Frame Piece, L.H., No. 301.....	2150-L.H.	1.00	0	10
Pipe Arch, Frame, No. 301.....	2151	.90	1	5
Pipe Arch, Clip, No. 301.....	2152	.30	0	3
Serrated Washer for Rake, Nos. 301 R-320 R.....	2153	.10	0	2
Handle, R.H., Gem.....	2160	.65	1	8
Handle, L.H., Gem. (C. Bolt, $\frac{1}{4}$ x $1\frac{3}{8}$).....	2161	.65	1	8
Pin for Main Wheel, $\frac{1}{4}$ x $2\frac{5}{8}$, No. 8.....	2180	.05	0	2
Pin for H 20 (csk. hd.), No. 8.....	2181	.05	0	1
Wheel, Steel, 16", 2" Tire, No. 8.....	2182	2.00	4	0
Axle Sleeve for Main Wheel, No. 8.....	2183	.20	0	3
Wire Link Chain, 84 links, No. 8.....	2184	.50	0	4
Wheel, Steel, 16", $1\frac{1}{2}$ " Tire. (Cotter, $\frac{3}{16}$ x $1\frac{1}{4}$), No. 22.....	2185	1.80	2	12
Wire Link Chain, complete, No. 22.....	2186	.30	0	4
Chain, complete, 44 links, No. 15 Steel Locke Belt, No. 22.....	2187	.60	0	4
Covering Wheel, Steel, Nos. 04 B, Attachment 3018.....	2188	3.00	4	5
Chain, 58 links, No. 15 Locke Steel, Nos. 304-306 Attachment. (See cut 2090).....	2190	.75	0	4
Chain, 54 links, No. 15 Locke Steel, No. 308. (See cut 2090).....	2193	.75	0	4
Chain, 60 links, No. 15 Locke Steel, No. 3004 Attachment. (See cut 2090).....	2194	.75	0	4
Chain, 46 links, No. 15 Locke Steel, No. 322. (See cut 2090).....	2195	.60	0	3
Chain, 66 links, No. 15 Locke Steel, No. 24 Attachment. (See cut 2090).....	2196	.80	0	5
Carrier Frame, R.H., No. 24 Attachment.....	2400-R.H.	.75	1	3
Carrier Frame, L.H., No. 24 Attachment (no cut).....	2400-L.H.	.75	1	3
Hopper Support, No. 24 Attachment.....	2401	.60	0	14
Brace for Hopper, No. 24 Attachment.....	2402	.35	0	4
Plow Carrier, No. 24 Attachment.....	2403	.80	0	12
Seed Can, No. 24 Attachment.....	2404	1.15	1	10
Seed Spout, No. 24 Attachment.....	2405	.50	0	4
Hopper Shaft, No. 24 Attachment.....	2406	.45	0	4
Stud for Bevel Gear, No. 24 Attachment.....	2407	.45	0	4
Marker Bar, No. 24 Attachment.....	2408	1.00	1	5
Gate Rod for Peas, No. 24 Attachment.....	2409	.30	0	4
Clutch Spring, No. 24 Attachment.....	2410	.10	0	$\frac{1}{2}$
Brush, No. 24 Attachment.....	2591	.90	0	3
Wing Nut, $\frac{1}{4}$ ", Nos. 304-306-308. New Model.....	3088	.10	0	1
Rod for 2031 and 2032 Metal Tubing Handles, Special, Nos. 1-22.....	6016	.30	0	10
Adjusting Gate, or Slide, with Stud. Advance.....	6500	.65	0	8
Draw Loop. Advance.....	6501	.50	0	5
Gear Shift. Advance.....	6502	.60	1	2
Hopper, complete (wood) (no cut). Advance.....	6560	6.00		
Handle, R.H. Advance.....	6561	2.25	2	0
Handle, L.H. Advance.....	6562	2.25	2	0
Leg, R.H. (C. Bolt, $\frac{5}{16}$ x $2\frac{1}{4}$) Advance.....	6563	.90	0	15
Leg, L.H. Advance.....	6564	.90	0	15
Leg Round. Advance.....	6565	.70	0	6
Wheel, Steel (no cut). Advance.....	6580	4.90	13	6
Spout, Galvanized.....	6581	.55	0	5
Galvanized Linings, per set, 5 pcs. (no cut).....	6582	1.25	1	14
Blue Head Screw for A 8, A 17. New Model.....		.05		
Round Head Blue Screw for Cord Ring. New Model, Nos. 4-6, etc.....		.05		
Screw Eye for Cord, Nos. 4-6, etc.....		.05		
Pin for Spacing Wheel, Nos. 4-6, etc.....		.05		
Hook Bolt, $\frac{3}{8}$ x $1\frac{1}{8}$, for Cultivator Teeth, Nos. 1-301, Gem, etc.....		.10		
C. Bolt, $\frac{3}{8}$ x 5, special short sq. hd. for Axle No. 8.....		.10		
Washer for D 1.....		.05		
Hinge for Hopper Lid.....		.15		


Repair Parts for *IRON AGE* Wheel Hoes and Attachments

EXCEPT DRILL AND FERTILIZER

Nos. 1, 9, 12, 19C, 20 AND THEIR COMBINATIONS, Nos. 3, 10, 11, 13, 19, 20, 21




PARTS NOT SHOWN IN ABOVE PLATE FOR Nos. 2, 301, 303, 313, 320, 321, 327




Repair Parts for *IRON AGE* Seeder and Fertilizer Attachments

Nos. 4, 6, 25 and 26 (Fig. 235)




PARTS FOR DRILL SEEDER AND HILL AND DRILL SEEDER ATTACHMENTS
Figs. 333 and 334, NOT SHOWN IN ABOVE PLATE, WHEN APPLIED, WILL MAKE
SEEDERS AND FERTILIZERS Nos. 304, 306, 314, 315, 316, 317, 318, 326, 3018B



Repair Parts for **IRON AGE** Combined Fertilizer Distributor


HILL AND DRILL SEEDER Nos. 22, 23




PARTS NOT SHOWN IN ABOVE PLATE FOR Nos. 22, 23, 322




Repair Parts for *IRON AGE* No. 8 Hill and Drill Seeder




PARTS NOT SHOWN IN ABOVE PLATE FOR Nos. 8 AND 308




PARTS FOR No. 24 (Fig. 560) CORN, BEAN AND PEA SEEDER ATTACHMENT




Repair Parts for "New Model" Seed Drill



PARTS FOR "GEM" SINGLE AND DOUBLE WHEEL HOE



PARTS FOR "ADVANCE" FERTILIZER DRILL



IRON AGE Wheel Hoes, Drills and Attachments

No. 1 Double and
Single, Wheel Hoe



No. 8

Hill and Drill Seeder



No. 6 Hill and Drill
Attachment

Makes No. 6 Combined with No. 1;
No. 15 Combined with No. 20



No. 25
Fertilizer Distributor
Attachment

No. 4 Drill Attachment

Makes No. 4 Combined with No. 1;
No. 17 Combined with No. 20



No. 19
Wheel Plow and
Cultivator



No. 20
Single
Wheel
Hoe



No. 9
Single
Wheel
Hoe, Plow,
Cultivator
and Rake



No. 22 Combined Fertilizer Distributor,
Hill and Drill Seeder




No. 23 Fertilizer
Distributor
A Part of No. 22



No. 12 Wheel Plow and Cultivator

IRON AGE Wheel Hoes, Drills and Attachments



No. 2 Single Wheel Hoe




No. 19C Wheel Cultivator and Plow



Disc Attachment for No. 1



No. 24 Corn, Bean and Pea Seeder




No. 320 Single Wheel Hoe



Fig. 560 (No. 24)
Corn, Bean and Pea Seeder
Attachment



Fig. 333 (No. 304)
Drill Seeder Attachment



No. 301 Double and Single Wheel Hoe



Fig. 235 (No. 326)
Fertilizer Drill Attachment



Fig. 334 (No. 306)
Hill and Drill Seeder
Attachment

IRON AGE New Model, Gem and Advance

No. 372
Combined Fertilizer,
Hill and
Drill Seeder



No. 308
Hill and Drill Seeder



Fig. 369
Garden disc
cultivating
attachment



No. 3018B
Special Seed Drill
(For Onions, etc.)




No. 326
Single Wheel
Fertilizer Drill




No. 327
Double and Single
Wheel Garden Disc
Cultivator



"New Model"
Seed Drill



"Gem"
Single Wheel
Hoe



"Gem"
Double Wheel Hoe

